



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
SOUTH PACIFIC DIVISION, CORPS OF ENGINEERS
1455 MARKET STREET
SAN FRANCISCO, CALIFORNIA 94103-1399

14-Feb-2013

CESPD-PDC

MEMORANDUM FOR Commander, Albuquerque District, US Army Corps of Engineers, ATTN: CESPA-PM-C (Ms Ondrea Hummel)

Subject: Review Plan Approval for Santa Clara Pueblo, New Mexico Watershed Assessment

1 The attached Review Plan for the Santa Clara Pueblo Watershed Assessment has been prepared in accordance with EC 1165-2-209. The Review Plan has been coordinated internally within the DST. CESPD will serve as the RMO (Encl).

3. The Review Plan does not include independent external peer review.

4. I hereby approve this Review Plan, which is subject to change as circumstances require, consistent with project development under the Project Management Business Process. Subsequent revisions to this Review Plan or its execution will require new written approval from this office.

5. For any additional information or assistance, contact Paul Devitt, District Support Team Lead, (415) 503-6558, Paul.A.Devitt@usace.army.mil

Building Strong All The Way From New Mexico To The Pacific!

Encl


MICHAEL C. WEHR
BG, USA
Commanding