

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 2
2. AMENDMENT/MODIFICATION NO. 0003	3. EFFECTIVE DATE 26 July 2002	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)	
6. ISSUED BY U.S. ARMY ENGINEER DISTRICT, ALBUQUERQUE CORPS OF ENGINEERS 4101 JEFFERSON PLAZA, N.E. ALBUQUERQUE, NEW MEXICO 87109-3435	CODE	7. ADMINISTERED BY (If other than Item 6)		CODE
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)			(√) 9A. AMENDMENT OF SOLICITATION NO. DACW47-02-B-0016	X 9B. DATED (SEE ITEM 11) 21 June 2002
CODE			10A. MODIFICATION OF CONTRACTS/ORDER NO.	
FACILITY CODE			10B. DATED (SEE ITEM 13)	

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(√)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

PROJECT: IMMIGRATION AND NATURALIZATION SERVICE, ALPINE BORDER PATROL STATION, ALPINE, TEXAS

1. This is Amendment No. 3 to Solicitation No. DACW47-02-B-0016; 21 June 2002. The following revisions shall be incorporated into the specifications. All other provisions shall remain unchanged.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)	16C. DATE SIGNED

2. SPECIFICATIONS: Delete the following listed pages and substitute the pages attached hereto. On the revised pages, for convenience, changes are emphasized by the amendment number in parentheses before and after changes from the previous issue. All portions of the revised (or new) pages shall apply whether or not changes have been indicated.

Delete Page

Insert Page

--

01610-1 (New section)

/////////LAST ITEM/////////

SECTION 01610

AGGREGATE FOR PORTLAND CEMENT CONCRETE

1. CONCRETE AGGREGATE

Fine and coarse aggregates to be used in all concrete shall be evaluated and tested by the Contractor for alkali-aggregate reactivity in accordance with ASTM C 1260 Modified, as hereinafter specified. Aggregate used for testing shall be the Contractor's proposed aggregates. All proposed size groups of coarse and fine aggregates shall be represented. The aggregates shall be evaluated in combination and shall match the Contractor's proposed mix design proportioning. Test results of the proposed aggregates in combination with the cementitious materials, as specified below, shall have a measured expansion of less than 0.1 percent at 16 days. Should the test data indicate an expansion of greater than 0.1 percent, additional testing, by the Contractor utilizing the modified version of ASTM C 1260 shall be performed.

ASTM C 1260 shall be modified as follows:

- a. Utilize the project Type I or II, low alkali cement and the project Class "F" fly ash (pozzolan) in combination as the cementitious material for the test proportioning.
- b. Project Class "F" fly ash shall be used at a minimum rate of 30 percent, by mass, of the total cementitious material.
- c. A decreased quantity of fly ash will be allowed, to a minimum of 20 percent, by mass, of the total cementitious material, if laboratory test results indicate that the maximum allowable expansion of 0.1 percent, at 16 days age, is not exceeded. A Corps of Engineers validated, independent laboratory, qualified to perform ASTM C 1260 testing, shall perform the tests.
- d. If the above testing does not lower the expansion to less than 0.1 percent, at 16 days, the aggregate(s) shall be rejected and the Contractor shall submit new aggregate sources for retesting.

The results of all testing and investigation shall be submitted to the Contracting Officer for evaluation and acceptance.

- - o 0 o - -